

FOOT-OPERATED SWITCH MOULDED-PLASTIC ENCLOSURE
PEDAL PUSHBUTTON, ONE PEDAL, WITH COVER, 1 CO



Figure similar

Product designation	momentary-contact foot switch
General technical data	
Protection class IP	IP65
Equipment marking	
• acc. to DIN EN 61346-2	S
• acc. to DIN EN 81346-2	S
Number of switching steps	1
Number of the actuation pedals	1
Enclosure	
Material of the enclosure	plastic with total insulation
Color	
• of the enclosure	black
• of top part of the enclosure	grey
Mechanical data	
Cable entry type	cable, 3 m
Ambient conditions	

Ambient temperature	
• during operation	-10 ... +75 °C

Installation/ mounting/ dimensions

Mounting type	screw fixing
Height	152 mm
Width	155 mm
Depth	115 mm

Certificates/approvals

General Product Approval	Declaration of Conformity	Shipping Approval
---------------------------------	----------------------------------	--------------------------



Shipping Approval	other
--------------------------	--------------



[sonstig](#)

[Bestätigungen](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/industrial-controls/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3SE3902-4CA20>

Cax online generator

<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3SE3902-4CA20>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3SE3902-4CA20>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3SE3902-4CA20&lang=en




Figure similar

last modified:

10/07/2016