

ENERGY SAVING TIME-DELAY SWITCH ADJUSTABLE 3 TO 60 MIN WITH KEYING ON/OFF FOR 230 V CONTACT 2000 W



Figure similar

Model	
product brandname	SETRON
Product designation	Timers
Design of the product	Staircase lighting timer
General technical data	
Switch-off prewarning	flashing
Manner of function / of the staircase lighting switch	manual
Short-circuit current rating	700 A
Voltage	
Staircase lighting timing switch reset function	resettable
Supply voltage	
Supply voltage / at AC	
• minimum	230 V
• maximum	230 V
Type of voltage / of the supply voltage	AC
Switching capacity	

Switching capacity apparent power	
• for fluorescent lamp load with DUO circuit	1 160 V·A
• for uncompensated fluorescent lamp load	1 160 V·A
Switching capacity current	
• at cos phi 0.6	16 A
• Rated value	16 A
Switching capacity active power / with filament lamp load	2 000 W

Dissipation

Power loss [W]	
• for rated value of the current / at AC / in hot operating state / per pole	5 W
• maximum	5 W

Electricity

Consumed current / of the light source	50 mA
Connection method for staircase lighting timer switch	3- and 4-wire-circuit

Control current

Type of voltage	
• of control voltage_1	AC
Control voltage	
• _1 / initial value	230 V
• _1 / Full-scale value	230 V
Control voltage frequency	
• _1 / initial value	50 Hz
• _1 / Full-scale value	50 Hz

Adjustable parameters

Adjustable OFF-delay time	
• initial value	0.5 min
• Full-scale value	10 min

Number

Number of NC contacts	0
Number of NO contacts	1
Number of CO contacts	0

Mechanical Design

Height	90 mm
Width	18 mm
Depth	64 mm
Installation depth	64 mm
Number of width units	1
Mounting type	DIN-busbar

Net weight	88 g
------------	------

Certificates

Equipment marking	
• acc. to DIN EN 61346-2	K
• acc. to DIN EN 81346-2	K

General Product Approval	Declaration of Conformity	other
--------------------------	---------------------------	-------



[Umweltbestätigung](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://eb.automation.siemens.com/mall/en/WW/Catalog/Product/7LF6115>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<http://support.automation.siemens.com/WW/view/en/7LF6115/all>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=7LF6115

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>

