

DELTA FLAT IP44, SM DARK GRAY/LIGHT GRAY UNIVERSAL
SWITCH CO/OFF 10A 250V, 66X75MM



Model	
Type of installation switch / rotary switch	No
Type of composition	basic element with complete enclosure
Design of the operating mechanism	rocker/button
General technical data	
Type of switch	toggle switch
Mounting type	fixing with screw
Surface processing	others
Material	others
Protection class	
Protection class IP	IP44
Switching capacity	
Switching capacity current	10 A
Main circuit	
Operating voltage / Rated value	250 V
Operating current / rated value	10 A
Appearance	

Appearance	shiny
Color	grey

Product details

Product component	
• Labeling field	No
• Signaling contact	No
• Pushbutton switch	No
Product feature / halogen-free	Yes

Number

Number of actuating rockers	1
-----------------------------	---

Connections

Type of electrical connection	Plug-in terminal
-------------------------------	------------------

Mechanical Design

Mounting type	surface mounted
Material / of the enclosure	plastic

General Product Approval	Declaration of Conformity	Test Certificates
---------------------------------	----------------------------------	--------------------------



ÖVE



VDE



EG-Konf.

[Typprüfbescheinigung/Werkzeugnis](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://eb.automation.siemens.com/mall/en/WW/Catalog/Product/5TA4706>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<http://support.automation.siemens.com/WW/view/en/5TA4706/all>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TA4706

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>

