

TERMINAL MODULE FOR ET 200S PMD FOR  
POWER MODULE F. STARTER



| General technical data:                      |    |                                          |
|----------------------------------------------|----|------------------------------------------|
| Product designation                          |    | Terminal module                          |
| Product type designation                     |    | TM-P15 S27-01                            |
| Design of the product                        |    | for power module PM-D, with end cover    |
| Mounting height                              | mm | 117.5                                    |
| Installation width                           | mm | 15                                       |
| Installation depth                           | mm | 102                                      |
| Protection class IP                          |    | IP20                                     |
| Insulation voltage rated value               | V  | 500                                      |
| Operating voltage                            |    |                                          |
| • at DC rated value                          | V  | 24                                       |
| Operating current rated value                | A  | 10                                       |
| Type of connectable conductor cross-sections |    |                                          |
| • solid                                      |    | 1x (0.14 ... 2.5 mm²), acc. to IEC 60947 |
| • finely stranded with core end processing   |    | 1x (0.14 ... 1.5 mm²), acc. to IEC 60947 |
| • at AWG conductors                          |    |                                          |
| — solid                                      |    | 1x (18 ... 22)                           |
| — stranded                                   |    | 1x (18 ... 22)                           |

#### Installation/ mounting/ dimensions:

|                                             |     |                             |
|---------------------------------------------|-----|-----------------------------|
| <b>Size of the screwdriver tip</b>          |     | Standard screwdriver Size 1 |
| Tightening torque with screw-type terminals | N·m | 0.4 ... 0.7                 |

#### Further information

##### Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/industrial-controls/catalogs>

##### Industry Mall (Online ordering system)

<http://www.siemens.com/industrymall>

##### Cax online generator


<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3RK1903-0AA00>



##### Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3RK1903-0AA00>

##### Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

[http://www.automation.siemens.com/bilddb/cax\\_de.aspx?mlfb=3RK1903-0AA00&lang=en](http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3RK1903-0AA00&lang=en)





last modified:

09/15/2016