

AUXIL. CONTACT SWITCH, 92MM 6A 2CO CONTACT



Figure similar

Model	
product brandname	SETRON
Product designation	Auxiliary current switch
Design of the product	Mountable
Design of the product / factory mounted	No
Switching capacity	
Switching capacity current / Rated value	6 A
Main circuit	
Operating voltage / rated value	230 V
Control current	
Type of voltage / of control voltage	AC
Product details	
Product extension	Auxiliary current switch
• can be mounted	others
Number	

Number of fault signal contacts	0
Number of NC contacts	0
Number of NO contacts	0
Number of CO contacts	2

Mechanical Design

Height	90 mm
Width	9 mm
Depth	73 mm
Number of width units	0.5
Net weight	47 g

General Product Approval	Declaration of Conformity	other
--------------------------	---------------------------	-------



[Umweltbestätigung](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://eb.automation.siemens.com/mall/en/WW/Catalog/Product/5TE9006>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<http://support.automation.siemens.com/WW/view/en/5TE9006/all>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TE9006

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>

