


UAE OUTLET BOX CAT.5E, 1X8-POLE W. INCLINED OUTLET
RJ45 W. LSA PLUS CONNECTION METHOD FOR SCREW FIXING
SHIELDED, F.DELTA PROGRAMS



Model	
Type of composition	basic element
General technical data	
Mounting type	fixing with screw
Surface processing	others
Product feature / Printed marking	No
Material	others
Protection class	
Protection class IP	IP20
Suitability	
Suitability for operation	universal connection unit/ISDN connection unit
Appearance	
Appearance	not applicable
Color	miscellaneous
Product details	
Product feature	No
• Luster terminal	

• Dust cover	No
Product component	
• Labeling field	No
• Hinged lid	No
• strain relief	No
Product feature	
• halogen-free	Yes
• transparent	No

Mechanical Design

Mounting type	flush mounted
Material	others

General Product Approval



Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://eb.automation.siemens.com/mall/en/WW/Catalog/Product/5TG2418>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<http://support.automation.siemens.com/WW/view/en/5TG2418/all>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TG2418

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>

