

ACCESSORY FOR 3KD FRAME SIZE 4 DOOR-COUPLING  
HANDLE COMPLETE DRIVE GREY INCL. SHAFT 300MM LENGTH  
AND COUPLING DRIVER LOCKABLE IN OFF



| Model                                           |                                          |
|-------------------------------------------------|------------------------------------------|
| product brandname                               | SETRON                                   |
| Product designation                             | Accessories for switch disconnectors     |
| Design of the product                           | Door-coupling rotary operating mechanism |
| Type of the driving mechanism                   | MANUAL OPERATING MECHANISM               |
| Protection class IP / on the front              | IP65                                     |
| Suitability                                     |                                          |
| Suitability for use                             | For 3KD, size 4                          |
| Appearance                                      |                                          |
| Color / of the actuating element                | gray                                     |
| Product details                                 |                                          |
| Product description                             | INCL DRIVE SHAFT AND COUPLING DRIVER     |
| Product feature                                 |                                          |
| • can be locked into OFF position               | Yes                                      |
| • interlock                                     | Yes                                      |
| Display version / for switch position indicator | ON-OFF                                   |
| Mechanical Design                               |                                          |

|                                 |         |
|---------------------------------|---------|
| Height                          | 100 mm  |
| Width                           | 190 mm  |
| Depth                           | 388 mm  |
| Length / of the extension shaft | 300 mm  |
| Net weight                      | 1 155 g |

General Product Approval

Declaration of Conformity



## Further information

**Information- and Downloadcenter (Catalogs, Brochures,...)**

<http://www.siemens.com/lowvoltage/catalogs>

**Industry Mall (Online ordering system)**

<https://eb.automation.siemens.com/mall/en/WW/Catalog/Product/3KD9415-1>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<http://support.automation.siemens.com/WW/view/en/3KD9415-1/all>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**

[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=3KD9415-1](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3KD9415-1)

**CAX-Online-Generator**

<http://www.siemens.com/cax>

**Tender specifications**

<http://www.siemens.com/specifications>



