

CONNECTION PIECE M20/M20 FOR CONNECTING 2  
ENCLOSURES, METAL, WITH HEXAGONAL NUT



Figure similar

|                                     |                                                      |
|-------------------------------------|------------------------------------------------------|
| product brand name                  | SIRIUS ACT                                           |
| Product designation                 | Commanding and signaling devices                     |
| Design of the product               | Connecting piece M20/M20 for connecting 2 enclosures |
| General technical data:             |                                                      |
| Protection class IP                 | IP66, IP67, IP69(IP69K)                              |
| Installation/ mounting/ dimensions: |                                                      |
| Mounting height                     | 3.6 mm                                               |
| Accessories:                        |                                                      |
| Material of accessory               | Metal                                                |
| Color of accessory                  | Silver                                               |
| Certificates/approvals              |                                                      |

| General Product Approval                                                          |                                                                                   |                                                                                   | Declaration of<br>Conformity                                                      | Test Certificates                  |                                                   |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------|---------------------------------------------------|
|  |  |  |  | <a href="#">Werksbescheinigung</a> | <a href="#">spezielle<br/>Prüfbescheinigungen</a> |
| CSA                                                                               | UL                                                                                |                                                                                   | EG-Konf.                                                                          |                                    |                                                   |

|                               |
|-------------------------------|
| other                         |
| <a href="#">Bestätigungen</a> |

#### Further information

**Information- and Downloadcenter (Catalogs, Brochures,...)**

<http://www.siemens.com/industrial-controls/catalogs>

**Industry Mall (Online ordering system)**

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3SU1950-0HJ10-0AA0>

**Cax online generator**


<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3SU1950-0HJ10-0AA0>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<https://support.industry.siemens.com/cs/ww/en/ps/3SU1950-0HJ10-0AA0>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)**

[http://www.automation.siemens.com/bilddb/cax\\_de.aspx?mlfb=3SU1950-0HJ10-0AA0&lang=en](http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3SU1950-0HJ10-0AA0&lang=en)



last modified:

10/07/2016