

PNEUMATIC TIMING RELAY BLOCK OFF-DELAYED 1
... 60 S 1NO + 1NC TO SNAP ON 3RT1.2



Figure similar

General technical data:		
product brand name		SIRIUS
Product designation		pneumatic delay block
Design of the product		off delay
Adjustable OFF-delay time	s	1 ... 60
Short-circuit:		
Design of the fuse link for short-circuit protection of the auxiliary switch required		Fuse gG 10 A with short-circuit current I _k = 1 kA according to IEC 60947-5-1
Connections/ Terminals:		
Type of electrical connection for auxiliary and control current circuit		screw-type terminals
Certificates/ approvals:		

General Product Approval	Declaration of Conformity	Test Certificates	Shipping Approval		
--------------------------	---------------------------	-------------------	-------------------	--	--



[spezielle
Prüfbescheinigungen](#)
[n](#)



Shipping Approval	other
-------------------	-------



GL



LRS



PRS



RINA



RMRS

[Bestätigungen](#)

other

[Umweltbestätigung](#)

[sonstig](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/industrial-controls/catalogs>

Industry Mall (Online ordering system)

<http://www.siemens.com/industrymall>

Cax online generator


<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3RT1926-2PR11>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3RT1926-2PR11>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3RT1926-2PR11&lang=en



last modified:

10/24/2016