

Product type designation

IWLAN RCoax Cable 2 GHz

SIMATIC NET, IWLAN RCOAX CABLE PE 1/2" 2.4GHZ LONG
DISTANCE -40 DEGR C/+85 DEGR C SUN RESIST., SOLD BY
THE METER MINIMUM ORDER AMOUNT 20M DELIVERY: MAX.
500 M



Suitability for operation

Suspended monorails, cranes, stacker cranes, or similar

Wireless frequencies

Operating frequency

- for WLAN in 2.4 GHz frequency band

2.4 ... 2.485 GHz

Electrical data

Impedance

50 Ω

Damping ratio per length

- at 2.4 GHz / with cable mounted 10 mm above concrete / at 20 °C
- at 2.4 GHz / with cable mounted 15 mm above aluminum rail / at 20 °C

0.15 dB/m

0.17 dB/m

Coupling attenuation

- at 2.4 GHz / at 20 °C
- Note

35 dB

c(50) for distance of 10 cm between antenna and cable

Capacity per length

76 pF/m

DC resistance per length

- of inner conductor / at 20 °C
- of coaxial outer conductor / at 20 °C

1.48 Ω /km

2.8 Ω /km

Relative speed	88 %
----------------	------

Mechanical data

Outer diameter	
• of inner conductor	4.8 mm
• of dielectric	12.4 mm
• of cable sheath	15.5 mm
Thickness / of cable sheath	1.3 mm
Material	
• of inner conductor	Copper clad aluminum
• of dielectric	Polyethylene foam
• of coaxial outer conductor	Overlapping copper foil with the slot groups bonded to cable jacket
• of cable sheath	Halogen-free polyolefine AM3
Color / of cable sheath	pastel turquoise
Bending radius	
• with single bend / minimum permissible	200 mm
Number of bending cycles	1
Tensile load / maximum	1100 N
Weight per length	0.232 kg/m
Mounting distance	
• recommended	0.5 m

Permitted ambient conditions

Ambient temperature	
• during operation	-40 ... +85 °C
• during storage	-70 ... +85 °C
• during installation	-25 ... +60 °C

Standards, specifications, approvals

Standard	
• for behavior in fire: corrosive gas emission	IEC 60754-2
• for behavior in fire: smoke emission	IEC 60332-1 and IEC 60332-3 Cat. C
• for behavior in fire: flame resistance	IEC 61034
Certificate of suitability	
• UL approval	Yes
Wireless approval	Current national approvals can be found on the Internet under www.siemens.com/funkzulassungen

Further Information / Internet Links

Internet-Link	
• to website: Selector SIMATIC NET SELECTION TOOL	http://www.siemens.com/snst
• to website: Industrial communication	http://www.siemens.com/simatic-net
• to website: Industry Mall	https://mall.industry.siemens.com

- to website: Information and Download Center
- to website: Image database
- to website: CAx Download Manager
- to website: Industry Online Support

<http://www.siemens.com/industry/infocenter>

<http://automation.siemens.com/bilddb>

<http://www.siemens.com/cax>

<https://support.industry.siemens.com>

last modified:

10/07/2016