

DELTA FLAT IP44, SM SHUTTER KEY-OPERAT. SWITCH 1POLE,
16A 250V, 66X75MM MOM./MAINT.CONTACT IN BOTH DIR. W. 2
KEYS, HINGED LID



Model	
Design of the surface	others
Type of composition	basic element with complete enclosure
Design of the operating mechanism	key
General technical data	
Number of poles	1
Type of switch	latched pushbutton 1-pole
Mounting type	fixing with screw
Material	others
Protection class	
Protection class IP	IP44
Switching capacity	
Switching capacity current	10 A
Main circuit	
Operating voltage / Rated value	250 V
Operating current / rated value	10 A
Appearance	

Appearance	shiny
Color	grey
Product details	
Product feature / interlock	No
Product component / Labeling field	No
Product feature	
• halogen-free	Yes
• transparent	No
Product function	
Product function	
• electronic operation	No
• Mechanical operation	Yes
Display and operation	
Number of keys	0
Mechanical Design	
Mounting type	surface mounted
Material / of the enclosure	plastic
General Product Approval	Declaration of Conformity



Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://eb.automation.siemens.com/mall/en/WW/Catalog/Product/5TA7650>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<http://support.automation.siemens.com/WW/view/en/5TA7650/all>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TA7650

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>

