


|                           |                          |                                                                                     |
|---------------------------|--------------------------|-------------------------------------------------------------------------------------|
| 52100320                  | <b>DATA SHEET</b>        |  |
| Valid from:<br>03.07.2018 | <b>SKINDICHT® A-PG/M</b> |                                                                                     |

The SKINDICHT® A-PG/M is a polyamide glass-fibre reinforced converter from an external PG-thread to an internal metric thread.



### Technical features:

|                   |                                        |
|-------------------|----------------------------------------|
| Material          | Polyamide, glass-fibre reinforced      |
| External thread   | PG7 to PG48 acc. to DIN 40430          |
| Internal thread   | M12x1.5 up to M63x1.5 acc. to EN 60423 |
| Temperature range | -25 °C up to +80 °C                    |
| Colour            | RAL 7035 light-grey                    |
| Design            | Form A    High<br>Form B    Flat       |


### Norm references:



|                                                  |                                       |             |
|--------------------------------------------------|---------------------------------------|-------------|
| Creator: T. Dvoutely /PDP<br>Released: DAMU1/PDP | Document: DB52100320EN<br>Version: 02 | Page 1 of 3 |
|--------------------------------------------------|---------------------------------------|-------------|

|                           |                          |                                                                                     |
|---------------------------|--------------------------|-------------------------------------------------------------------------------------|
| 52100320                  | <b>DATA SHEET</b>        |  |
| Valid from:<br>03.07.2018 | <b>SKINDICHT® A-PG/M</b> |                                                                                     |


**SKINDICHT® A-PG/M**  
**Form A**



| External thread PG | Internal thread M | SW [mm] | Ø A [mm] | C [mm] | D [mm] | E [mm] | Ø F [mm] | Article No. |
|--------------------|-------------------|---------|----------|--------|--------|--------|----------|-------------|
| PG 7               | M12x1,5           | 16      | 18       | 27     | 9      | 15,5   | 6        | 52100320    |
| PG 7               | M16x1,5           | 20      | 22       | 27     | 9      | 15,5   | 6        | 52100321    |
| PG 9               | M12x1,5           | 20      | 22       | 27     | 9      | 15,5   | 10       | 52100322    |
| PG 9               | M16x1,5           | 20      | 22       | 27     | 9      | 15,5   | 10       | 52100323    |
| PG 9               | M20x1,5           | 24      | 27       | 27     | 9      | 15,5   | 10       | 52100324    |
| PG 11              | M16x1,5           | 22      | 24       | 27     | 9      | 15,5   | 13       | 52100325    |
| PG 11              | M20x1,5           | 24      | 27       | 27     | 9      | 15,5   | 13       | 52100326    |
| PG 11              | M25x1,5           | 29      | 32       | 27     | 9      | 15,5   | 13       | 52100327    |
| PG 13,5            | M16x1,5           | 24      | 27       | 28     | 10     | 15,5   | 14       | 52100328    |
| PG 13,5            | M20x1,5           | 24      | 27       | 28     | 10     | 15,5   | 14       | 52100329    |
| PG 13,5            | M25x1,5           | 29      | 32       | 28     | 10     | 15,5   | 14       | 52100330    |
| PG 16              | M20x1,5           | 27      | 29       | 28     | 10     | 15,5   | 17       | 52100331    |
| PG 16              | M25x1,5           | 29      | 32       | 28     | 10     | 15,5   | 17       | 52100332    |
| PG 16              | M32x1,5           | 36      | 40       | 28     | 10     | 15,5   | 17       | 52100333    |
| PG 21              | M25x1,5           | 33      | 36       | 30     | 12     | 15,5   | 22       | 52100334    |
| PG 21              | M32x1,5           | 36      | 40       | 30     | 12     | 15,5   | 22       | 52100335    |
| PG 21              | M40x1,5           | 46      | 51       | 30     | 12     | 15,5   | 22       | 52100336    |
| PG 29              | M40x1,5           | 46      | 51       | 30     | 12     | 15,5   | 30,5     | 52100338    |
| PG 29              | M50x1,5           | 55      | 61       | 30     | 12     | 15,5   | 30,5     | 52100339    |
| PG 36              | M50x1,5           | 55      | 61       | 32     | 14     | 15,5   | 40,5     | 52100341    |
| PG 36              | M63x1,5           | 68      | 75       | 32     | 14     | 15,5   | 40,5     | 52100342    |
| PG 42              | M50x1,5           | 60      | 67       | 32     | 14     | 15,5   | 47,5     | 52100344    |
| PG 42              | M63x1,5           | 68      | 75       | 32     | 14     | 15,5   | 47,5     | 52100345    |
| PG 48              | M63x1,5           | 68      | 75       | 33     | 15     | 15,5   | 52       | 52100347    |

|                           |                          |                                                                                     |
|---------------------------|--------------------------|-------------------------------------------------------------------------------------|
| 52100320                  | <b>DATA SHEET</b>        |  |
| Valid from:<br>03.07.2018 | <b>SKINDICHT® A-PG/M</b> |                                                                                     |

**SKINDICHT® A-PG/M  
Form B**



| External thread<br>PG | Internal<br>thread M | SW<br>[mm] | Ø A<br>[mm] | C<br>[mm] | D<br>[mm] | Article No. |
|-----------------------|----------------------|------------|-------------|-----------|-----------|-------------|
| PG 29                 | M32x1,5              | 42         | 45          | 19        | 12        | 52100337    |
| PG 36                 | M40x1,5              | 53         | 59          | 21        | 14        | 52100340    |
| PG 42                 | M40x1,5              | 60         | 67          | 21        | 14        | 52100343    |
| PG 48                 | M50x1,5              | 65         | 73          | 22        | 15        | 52100346    |

For more information please see our current catalogue. Please do not hesitate to contact our laboratory if there are any questions regarding resistance against aggressive agents and special oil.

|                                                  |                                       |             |
|--------------------------------------------------|---------------------------------------|-------------|
| Creator: T. Dvoutely /PDP<br>Released: DAMU1/PDP | Document: DB52100320EN<br>Version: 02 | Page 3 of 3 |
|--------------------------------------------------|---------------------------------------|-------------|