


LED WORKLIGHT TRIPOD














IP65



IP44

	EAN	W	lm	K	°C	V~	mA	Hz	PF
LED WORKLIGHT 1x20 W 840 TRIPOD	4058075213890	20	1700	4000	-20...+45	220-240	92	50/60	>0.9
LED WORKLIGHT 2x20 W 840 TRIPOD	4058075213913	2x20	2x1700	4000	-20...+45	220-240	184	50/60	>0.9
LED WORKLIGHT 1x30 W 840 TRIPOD	4058075213937	30	2700	4000	-20...+45	220-240	145	50/60	>0.9
LED WORKLIGHT 2x30 W 840 TRIPOD	4058075213951	2x30	2x2700	4000	-20...+45	220-240	290	50/60	>0.9
LED WORKLIGHT 1x50 W 840 TRIPOD	4058075213975	50	4500	4000	-20...+45	220-240	220	50/60	>0.9
LED WORKLIGHT 2x50 W 840 TRIPOD	4058075213999	2x50	2x4500	4000	-20...+45	220-240	440	50/60	>0.9







IP65

IP44



RoHS



C10449057
G11090989
17.01.2020



LEDVANCE GmbH
Steinerne Furt 62
86167 Augsburg, Germany
www.ledvance.com