

Opis produktu

PS-M-64.1.1

PS-M-64.1.1 Power Supply, 640 mA, MDRC



Ogólne informacje

Typ produktu	PS-M-64.1.1
Kod zamówieniowy	2CDG510001R0011
Numer EAN	4016779941839
Opis katalogowy	PS-M-64.1.1 Power Supply, 640 mA, MDRC
Opis	Free@home power supply generate and monitor the system voltage (SELV). The bus line is decoupled from the power supply by an integrated choke. The voltage output is short-circuit and overload protected. The two-color LED indicates device output status. The power supply has a wide range input from 85...265 V AC, 50/60 Hz.

Installation

Instrukcje i podręczniki	2CDC550001D0201
--------------------------	-----------------

Dane techniczne

Arkusz danych, informacja techniczna	2CDC550001D0201
Zakres napięć	110 ... 230 V AC

Napięcie bufora	Nie
Maksymalny prąd wyjściowy (I_{out})	0.64 A
Straty mocy	9 W
Liczba wyjść	1
Ilość diod LED	1
Liczba zintegrowanych diod	1
Liczba dostarczonych linii	1
Kompatybilne systemy magistralowe	free@home
Grupa produktowa	free@home
Typ montażu	DIN-Rail
Ręczna obsługa	Nie
Kolor	grey
Liczba baterii	0

Normy środowiskowe

Stopień ochrony	IP20
Status RoHS	Following EU Directive 2011/65/EU
Dane RoHS	2CDK501065D2701
Deklaracja REACH	9AKK107492A1906
Szablon raportowania CMRT	9AKK108468A3363

Wymiary

Szerokość w liczbie modułów	4
Szerokość netto	72 mm
Wysokość netto	90 mm
Głębokość / długość netto	64.5 mm
Masa netto	0.26 kg
Schemat wymiarów	2CDC072033F0015

Certyfikaty i deklaracje (Numer dokumentu)

Certyfikat CB	9AKK107991A3200
Deklaracja zgodności UE	2CDK501065D2701

Klasyfikacje

ETIM 8	EC000675 - Power supply for bus system
ETIM 9	EC000675 - Power supply for bus system
Kategoria WEEE	5. Small Equipment (No External Dimension More Than 50 cm)

WEEE B2C / B2B	Business To Consumer
CN8	8504 40 83
UNSPSC	39121004
eClass	V11.0 : 27143114
Kod kategorii IDEA (IGCC)	4127 >> Power supply units
Kod klasyfikacji	A

Kategorie

Produkty niskiego napięcia i systemy → Building and Home Automation Solutions → free@home → System Infrastructure and Interfacing → Power Supplies

