

Opis produktu

FEH1002

Control Unit Regulating combination White - Jussi



Ogólne informacje

Typ produktu	FEH1002
Kod zamówieniowy	2TKA002110G1
Numer EAN	6410070607124
Opis katalogowy	Control Unit Regulating combination White - Jussi
Opis	The loop controls itself against short circuits and breaks. Possibility to connect both closing and opening potential free contacts. Input delay 150 ms / 2,5 s. Memory/no memory function. Potential free output. Cancelling button with LED. Good marking possibilities on the button and name plate. Operating voltage: 15 - 28 V ac / 18 - 35 V dc. Current consumption: 110 mA ac / 60 mA dc.

Installation

Instrukcje i podręczniki	9AKK10103A3030
--------------------------	----------------

Dane techniczne

Arkusz danych, informacja techniczna	9AKK10103A3030
Napięcie znamionowe (U_r)	24...24 V
Rodzaj napięcia zasilania	AC/DC

Design Range	Jussi
Rodzaj pomiaru	Regulating combination
Kolor RAL	RAL 9010 - Pure White
Kolor	White
Liczba baterii	0

Normy środowiskowe

Stopień ochrony	IP20
Status RoHS	Zgodny z dyrektywą EU 2002/95/EC sierpień 18, 2005 i poprawkami
Dane RoHS	9AKK106713A4634
Deklaracja REACH	9AKK106713A4633
SCIP	4bcb1b38-5a6e-4409-955c-b0eefe2716bc Finlandia (FI)
Szablon raportowania CMRT	9AKK108468A3363

Wymiary

Szerokość netto	71 mm
Wysokość netto	71 mm
Głębokość / długość netto	39 mm
Masa netto	0.0662 kg

Certyfikaty i deklaracje (Numer dokumentu)

Deklaracja zgodności UE	9AKK108466A2656 9AKK108466A2474 9AKK10103A2355
-------------------------	--

Klasyfikacje

ETIM 8	EC002247 - Handicapped person element for domestic switching devices
ETIM 9	EC002247 - Handicapped person element for domestic switching devices
Kategoria WEEE	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85365080

Kategorie

Produkty niskiego napięcia i systemy → Wiring Accessories - Light Switch Ranges → Cover Plates and Control Elements → Door Entry / Signalisation

