

Opis produktu

FIP2000

Table Panel LED not exchangeable White - Jussi



Ogólne informacje

Typ produktu	FIP2000
Kod zamówieniowy	2TKA002145G1
Numer EAN	6410070606103
Opis katalogowy	Table Panel LED not exchangeable White - Jussi
Opis	The Table Panel can be used for controlling the signal lights of Door Panel FIO2000. It also includes a freely adaptable Push Button and Switch, which can be integrated into an existing emergency or assistant call system using the Adapter Relay FIR2000. 2 meters connecting wire. Operating voltage: 15 - 28 V ac. Current consumption 65 mA (max).

Installation

Instrukcje i podręczniki	9AKK10103A3030
--------------------------	----------------

Dane techniczne

Arkusz danych, informacja techniczna	9AKK10103A3030
Napięcie znamionowe (U_r)	24 V

Design Range	Jussi
Typ styku	Normally Open (NO) with Feedback
Typ lampki	LED not exchangeable
Typ montażu	Built-in installation
Wykończenie pokrywy	Surface protection: Untreated Surface finishing: Matt
Materiał	Plastic, Thermoplastic
Kolor RAL	RAL 9010 - Pure White
Kolor	White
Liczba baterii	0

Normy środowiskowe

Stopień ochrony	IP20
Status RoHS	Zgodny z dyrektywą EU 2002/95/EC sierpień 18, 2005 i poprawkami
Dane RoHS	9AKK106713A4634
Deklaracja REACH	9AKK106713A4633
SCIP	b633c605-adece4cfe-9fd5-c51eaa99a42c Finlandia (FI)
Szablon raportowania CMRT	9AKK108468A3363

Wymiary

Szerokość netto	0.08 m
Wysokość netto	0.028 m
Głębokość / długość netto	0.145 m
Masa netto	0.2397 kg

Certyfikaty i deklaracje (Numer dokumentu)

Deklaracja zgodności UE	9AKK108466A2656 9AKK108466A2474 9AKK10103A2355
-------------------------	--

Klasyfikacje

ETIM 8	EC000064 - Information light signal for domestic switching devices
ETIM 9	EC000064 - Information light signal for domestic switching devices
Kategoria WEEE	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85312020

Kategorie

Produkty niskiego napięcia i systemy → Wiring Accessories - Light Switch Ranges → Cover Plates and Control Elements → Door Entry / Signalisation

