

Opis produktu

KS/K2.1

KS/K2.1 Cable Set, Extension



Ogólne informacje

Typ produktu	KS/K2.1
Kod zamówieniowy	GHQ6301910R0011
Numer EAN	4016779528931
Opis katalogowy	KS/K2.1 Cable Set, Extension
Opis	For connection of batteries SAK7, SAK12 and SAK17 to the Uninterruptible EIB Power Supply SU/S 30.640.1. If two batteries are connected, Cable Set KS/K 4.1 is used for the first battery and the Cable Set KS/K 2.1 is used for the second battery.

Installation

Instrukcje i podręczniki	2CDC501002D0203
Instrukcja instalacji i uruchomienia	2CDC501005D0202

Dane techniczne

Arkusz danych, informacja techniczna	2CDC501004D0201
--------------------------------------	-----------------

Straty mocy	0 W
Grupa produktowa	KNX
Typ montażu	Cable
Ręczna obsługa	Nie
Liczba baterii	0
Typ zacisku	Connection

Normy środowiskowe

Status RoHS	Following EU Directive 2011/65/EU
Dane RoHS	2CDK501074D2701
Deklaracja REACH	No declaration needed
Szablon raportowania CMRT	9AKK108468A3363

Wymiary

Szerokość netto	200 mm
Wysokość netto	15 mm
Głębokość / długość netto	15 mm
Masa netto	0.099 kg

Certyfikaty i deklaracje (Numer dokumentu)

Deklaracja zgodności UE	2CDK501074D2701
-------------------------	-----------------

Klasyfikacje

ETIM 8	EC000635 - Connection-/branching terminal for bus system
ETIM 9	EC000635 - Connection-/branching terminal for bus system
Kategoria WEEE	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	8544 42 90
UNSPSC	39121432
eClass	V11.0 : 27143105
Kod kategorii IDEA (IGCC)	4603 >> Electrical terminals
Kod klasyfikacji	A

Kategorie

Produkty niskiego napięcia i systemy → Building and Home Automation Solutions → KNX → Power Supply → Battery Modules and Accessories

