

Opis produktu

# 1721-866K-500

## Cover Frame 1gang stainless steel - Pure Stainless Steel



### Ogólne informacje

|                  |                                                          |
|------------------|----------------------------------------------------------|
| Typ produktu     | 1721-866K-500                                            |
| Kod zamówieniowy | 2CKA001754A4500                                          |
| Numer EAN        | 4011395174548                                            |
| Opis katalogowy  | Cover Frame 1gang stainless steel - Pure Stainless Steel |
| Opis             | Material stainless steel. Anti fingerprint.              |

### Installation

|                          |                    |
|--------------------------|--------------------|
| Instrukcje i podręczniki | No document needed |
|--------------------------|--------------------|

### Dane techniczne

|                                      |                      |
|--------------------------------------|----------------------|
| Arkusz danych, informacja techniczna | No document needed   |
| Liczba                               | 1                    |
| Design Range                         | Pure Stainless Steel |
| Typ montażu                          | Flush Mounted        |
| Rodzaj mocowania                     | Clamp                |
| Orientacja montażu                   | Horizontal           |

|                                |                 |
|--------------------------------|-----------------|
|                                | Vertical        |
| Wykończenie pokrywy            | Untreated Matt  |
| Material                       | Thermoplastic   |
| Zapewnione miejsce na etykiety | No              |
| Kolor                          | stainless steel |
| Waga baterii                   | 0 g             |

Normy środowiskowe

|                           |                                                                        |
|---------------------------|------------------------------------------------------------------------|
| Stopień ochrony           | IP20                                                                   |
| Status RoHS               | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |
| Dane RoHS                 | 2CKA200000E2827                                                        |
| Deklaracja REACH          | 2CKA309999E9999                                                        |
| Szablon raportowania CMRT | 9AKK108468A3363                                                        |

Wymiary

|                           |       |
|---------------------------|-------|
| Szerokość netto           | 80 mm |
| Wysokość netto            | 80 mm |
| Głębokość / długość netto | 11 mm |
| Masa netto                | 34 g  |

Charakterystyka zamówienia

|                          |             |
|--------------------------|-------------|
| ID produktu zastąpionego | 1754-0-4500 |
|--------------------------|-------------|

Certyfikaty i deklaracje (Numer dokumentu)

|                         |                 |
|-------------------------|-----------------|
| Deklaracja zgodności UE | 2CKA200000E2827 |
|-------------------------|-----------------|

Klasyfikacje

|                |                                                       |
|----------------|-------------------------------------------------------|
| ETIM 8         | EC000007 - Cover frame for domestic switching devices |
| ETIM 9         | EC000007 - Cover frame for domestic switching devices |
| Kategoria WEEE | Product Not in WEEE Scope                             |
| CN8            | 8538 90 99                                            |
| eClass         | V11.0 : 27144001                                      |

Accessories

| Identifier      | Description                                                                             | Type           | Quantity | Unit Of Measure |
|-----------------|-----------------------------------------------------------------------------------------|----------------|----------|-----------------|
| 2CKA001731A1954 | Rocker for Switch, Pull cord stainless steel - Pure Stainless Steel                     | 1720-866       | 1        | sztuka          |
| 2CKA001710A3812 | Cover plate with legend Level switch Turn button stainless steel - Pure Stainless Steel | 1740 DR/03-866 | 1        | sztuka          |

|                 |                                                                                                                             |                    |   |        |
|-----------------|-----------------------------------------------------------------------------------------------------------------------------|--------------------|---|--------|
| 2CKA001710A3771 | Mechanical Controls Symbol "2-1-3" for Level switch, Turn button stainless steel - Pure Stainless Steel                     | 1740 DRL-866-503   | 1 | sztuka |
| 2CKA001710A3748 | Cover plate with legend Symbol "arrows" for Venetian blind, Turn button stainless steel - Pure Stainless Steel              | 1740-866           | 1 | sztuka |
| 2CKA001710A3751 | Cover Plate Blind cap 1 gang with Mounting plate stainless steel - Pure Stainless Steel                                     | 1742-866           | 1 | sztuka |
| 2CKA001724A4369 | Cover Plate SAT 4 gang stainless steel - Pure Stainless Steel                                                               | 1743/10-04-866     | 1 | sztuka |
| 2CKA001724A4378 | Cover Plate SAT 4 gang stainless steel - Pure Stainless Steel                                                               | 1743-04-866        | 1 | sztuka |
| 2CKA001724A4271 | Cover Plate SAT 3 gang stainless steel - Pure Stainless Steel                                                               | 1743-866           | 1 | sztuka |
| 2CKA001710A3766 | Cover Plate telephone connector boxes (VDo) stainless steel - Pure Stainless Steel                                          | 1745-866           | 1 | sztuka |
| 2CKA001710A3768 | Cover Plate Telecommunication inserts 50 x 50 mm stainless steel - Pure Stainless Steel                                     | 1746/10-866        | 1 | sztuka |
| 2CKA001710A3769 | Cover Plate with Hinged Lid Telecommunication inserts 50 x 50 mm 1 gang stainless steel - Pure Stainless Steel              | 1746-866           | 1 | sztuka |
| 2CKA001710A4097 | Intermediate Ring for cover plates Busch-Balance® SI stainless steel - Pure Stainless Steel                                 | 1747 BSI-866       | 1 | sztuka |
| 2CKA001710A3752 | Cover Plate Cable outlet with Mounting plate stainless steel - Pure Stainless Steel                                         | 1749-866           | 1 | sztuka |
| 2CKA001723A0255 | Cover Plate Loudspeaker 2 gang stainless steel - Pure Stainless Steel                                                       | 1751-866           | 1 | sztuka |
| 2CKA001710A3749 | Cover plate with legend Symbol "arrows" or "0 - 1" for Venetian blind, Key stainless steel - Pure Stainless Steel           | 1755 SL/PZ-866-101 | 1 | sztuka |
| 2CKA001724A4272 | Cover plate with labelling field For data connection housing 2 gang stainless steel - Pure Stainless Steel                  | 1758-866           | 1 | sztuka |
| 2CKA001731A4003 | Rocker with labelling field Symbol "bell" for Switch/push button, Single push button stainless steel - Pure Stainless Steel | 1764 NLI/KI-866    | 1 | sztuka |
| 2CKA001731A1953 | Rocker with labelling field for Switch/push button, Single push button stainless steel - Pure Stainless Steel               | 1764 NLI-866       | 1 | sztuka |
| 2CKA001710A3765 | Cover Plate TAE 1 gang stainless steel - Pure Stainless Steel                                                               | 1766-866           | 1 | sztuka |
| 2CKA001753A0259 | Cover Plate Symbol "1" for Time switch, Toggle stainless steel - Pure Stainless Steel                                       | 1770-866-103       | 1 | sztuka |
| 2CKA001753A0302 | Cover Plate Symbol "0" for Time switch, Toggle stainless steel - Pure Stainless Steel                                       | 1771-866-103       | 1 | sztuka |
| 2CKA001751A2964 | Rocker with legend Symbol "arrows" for Venetian blind, Two-part rocker stainless steel - Pure Stainless Steel               | 1785 JA-866        | 1 | sztuka |
| 2CKA001751A2996 | Rocker with legend DND, MUR for Switch/push button, Two-part rocker stainless steel - Pure Stainless Steel                  | 1785/11-866        | 1 | sztuka |
| 2CKA001751A3087 | Mechanical Controls Without imprint for Switch/push button, Two-part rocker stainless steel - Pure Stainless Steel          | 1785-866-500       | 1 | sztuka |
| 2CKA001751A3002 | Rocker DND for Switch/push button, Single rocker stainless steel - Pure Stainless Steel                                     | 1786/11-866        | 1 | sztuka |
| 2CKA001751A3077 | Mechanical Controls Without imprint for Switch/push button, Single rocker stainless steel - Pure Stainless Steel            | 1786-866-500       | 1 | sztuka |
| 2CKA001751A2961 | Rocker for Switch/push button, Single rocker stainless steel - Pure Stainless Steel                                         | 1788-866           | 1 | sztuka |
| 2CKA001751A2963 | Rocker with legend Heizung for Switch/push button, Single rocker stainless steel - Pure Stainless Steel                     | 1789 H-866         | 1 | sztuka |

|                 |                                                                                                                         |                  |   |        |
|-----------------|-------------------------------------------------------------------------------------------------------------------------|------------------|---|--------|
| 2CKA001751A2959 | Rocker for Switch/push button, Single rocker stainless steel - Pure Stainless Steel                                     | 1789 KI-866      | 1 | sztuka |
| 2CKA001751A2958 | Rocker with legend Symbol "light" for Switch/push button, Single rocker stainless steel - Pure Stainless Steel          | 1789 LI-866      | 1 | sztuka |
| 2CKA001751A3152 | Rocker for Switch/push button, Single rocker stainless steel - Pure Stainless Steel                                     | 1789 N-866       | 1 | sztuka |
| 2CKA001751A3162 | Rocker for Switch/push button, Single rocker stainless steel - Pure Stainless Steel                                     | 1789 ST-866      | 1 | sztuka |
| 2CKA001751A2960 | Rocker for Switch/push button, Single rocker stainless steel - Pure Stainless Steel                                     | 1789 TR-866      | 1 | sztuka |
| 2CKA001751A2957 | Rocker for Switch/push button, Single rocker stainless steel - Pure Stainless Steel                                     | 1789-866         | 1 | sztuka |
| 2CKA001710A3757 | Cover plate with legend Card for Switch/push button, Hotel card Hotel card stainless steel - Pure Stainless Steel       | 1792-866         | 1 | sztuka |
| 2CKA001710A3761 | Cover plate with legend for Thermostat Turn button stainless steel - Pure Stainless Steel                               | 1794 TA-866      | 1 | sztuka |
| 2CKA001710A4018 | Cover plate with legend for Thermostat Turn button stainless steel - Pure Stainless Steel                               | 1795 HK-866      | 1 | sztuka |
| 2CKA001710A4050 | Cover plate with legend for Thermostat Turn button 1 sliding switch stainless steel - Pure Stainless Steel              | 1795 HKEA-866    | 1 | sztuka |
| 2CKA001710A3762 | Cover plate with legend for Thermostat Turn button 1 sliding switch stainless steel - Pure Stainless Steel              | 1795 TA-866      | 1 | sztuka |
| 2CKA001710A3756 | Cover plate with legend for Thermostat Turn button 1 sliding switch stainless steel - Pure Stainless Steel              | 1795-866         | 1 | sztuka |
| 2CKA001753A0312 | Cover Plate Pull cord stainless steel - Pure Stainless Steel                                                            | 1796-866         | 1 | sztuka |
| 2CKA001710A3767 | Cover plate with labelling field Modular Jack 2 gang stainless steel - Pure Stainless Steel                             | 1800-866         | 1 | sztuka |
| 2CKA001710A3764 | Cover plate with labelling field UAE/IAE (ISDN) 2 gang stainless steel - Pure Stainless Steel                           | 1803-02-866      | 1 | sztuka |
| 2CKA001710A3763 | Cover plate with labelling field UAE/IAE (ISDN) 1 gang stainless steel - Pure Stainless Steel                           | 1803-866         | 1 | sztuka |
| 2CKA002013A5408 | Busch-Object socket outlet SCHUKO® socket insert Safety Shutter stainless steel - Pure Stainless Steel                  | 20 EUAB-866      | 1 | sztuka |
| 2CKA002011A6212 | Socket Outlets stainless steel - Pure Stainless Steel                                                                   | 20 EUC-866-500   | 1 | sztuka |
| 2CKA002013A5419 | Busch-Service-Socket SCHUKO® socket insert Safety Shutter stainless steel - Pure Stainless Steel                        | 20 EUCBDR-866    | 1 | sztuka |
| 2CKA002013A5289 | SCHUKO® socket insert Safety Shutter withControl light; LED /Green stainless steel - Pure Stainless Steel               | 20 EUCBL-866     | 1 | sztuka |
| 2CKA002013A5460 | Busch-steplight SCHUKO® socket insert Safety Shutter withNight light; LED /White stainless steel - Pure Stainless Steel | 20 EUCBLI-866    | 1 | sztuka |
| 2CKA002013A5277 | SCHUKO® Socket insert with print Safety Shutter stainless steel - Pure Stainless Steel                                  | 20 EUCKS/DV-866  | 1 | sztuka |
| 2CKA002013A5374 | Socket Outlets Safety Shutter stainless steel - Pure Stainless Steel                                                    | 20 EUCKS-866-500 | 1 | sztuka |
| 2CKA002013A5432 | SCHUKO® Socket insert with labelling field Safety Shutter stainless steel - Pure Stainless Steel                        | 20 EUCNB-866     | 1 | sztuka |
| 2CKA002013A5442 | SCHUKO® socket insert Safety Shutter stainless steel - Pure Stainless Steel                                             | 20 EUCRB-866     | 1 | sztuka |
| 2CKA002018A1490 | SCHUKO® socket insert with Hinged Lid stainless steel - Pure Stainless Steel                                            | 20 EUK-866       | 1 | sztuka |
| 2CKA002018A1521 | SCHUKO® socket insert Safety Shutter with Hinged Lid stainless steel - Pure Stainless Steel                             | 20 EUKB-866      | 1 | sztuka |

|                 |                                                                                                                                                |                    |   |        |
|-----------------|------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|---|--------|
| 2CKA002011A3851 | SCHUKO® Socket insert with labelling field stainless steel - Pure Stainless Steel                                                              | 20 EUN-866         | 1 | sztuka |
| 2CKA001751A3171 | Bell push-switch DND / MUR insert DND, MUR and Symbol "bell" Single push button Push button 1 pole, 1NO stainless steel - Pure Stainless Steel | 2029 UC-866        | 1 | sztuka |
| 2CKA002495A0090 | Socket insert Equipotential compensation Socket outlet 2-position stainless steel - Pure Stainless Steel                                       | 2095 UC-866        | 1 | sztuka |
| 2CKA002190A0217 | Socket Outlets British Standard stainless steel - Pure Stainless Steel                                                                         | 2190 EUC-866       | 1 | sztuka |
| 2CKA002013A5478 | SCHUKO® socket insert Safety Shutter stainless steel - Pure Stainless Steel                                                                    | 23 EUCB-866        | 1 | sztuka |
| 2CKA002013A5452 | SCHUKO® socket insert Safety Shutter stainless steel - Pure Stainless Steel                                                                    | 2300 EUCB-866      | 1 | sztuka |
| 2CKA002011A3853 | Busch-Protector® SCHUKO® socket insert stainless steel - Pure Stainless Steel                                                                  | 2310EUGL/VA-866-11 | 1 | sztuka |
| 2CKA002130A0293 | Socket Outlets stainless steel - Pure Stainless Steel                                                                                          | 2332 UJBS-866      | 1 | sztuka |
| 2CKA002099A0243 | Socket Safety Shutter stainless steel - Pure Stainless Steel                                                                                   | 2399 UCKS-866      | 1 | sztuka |
| 2CKA001719A0221 | Intermediate Ring with Hinged Lid for cover plates Busch-Balance® SI 1 gang with Sealing Ring stainless steel - Pure Stainless Steel           | 2518-WD-866        | 1 | sztuka |
| 2CKA001751A3181 | Rocker with legend Symbol "bell" for Switch/push button, Single rocker stainless steel - Pure Stainless Steel                                  | 2520 KI-866        | 1 | sztuka |
| 2CKA001751A3191 | Rocker for Switch/push button, Single rocker stainless steel - Pure Stainless Steel                                                            | 2520 LI-866        | 1 | sztuka |
| 2CKA001751A3200 | Rocker for Switch/push button, Single rocker stainless steel - Pure Stainless Steel                                                            | 2520 TR-866        | 1 | sztuka |
| 2CKA001724A4270 | Cover Plate Bore hole 1 gang stainless steel - Pure Stainless Steel                                                                            | 2533-866           | 1 | sztuka |
| 2CKA001710A3758 | Cover plate with legend Symbol "0-1-2-3" for Level switch, Turn button stainless steel - Pure Stainless Steel                                  | 2542 DR/01-866     | 1 | sztuka |
| 2CKA001710A3759 | Cover plate with legend Symbol "1-2-3" for Level switch, Turn button stainless steel - Pure Stainless Steel                                    | 2542 DR/02-866     | 1 | sztuka |
| 2CKA001724A4403 | Cover Plate XLR 1 gang stainless steel - Pure Stainless Steel                                                                                  | 2553-866           | 1 | sztuka |
| 2CKA001753A0395 | Cover Plate Modular Jack 2 gang stainless steel - Pure Stainless Steel                                                                         | 2561-02-866        | 1 | sztuka |
| 2CKA001753A0404 | Cover Plate Modular Jack 1 gang stainless steel - Pure Stainless Steel                                                                         | 2561-866           | 1 | sztuka |
| 2CKA003116A0669 | FI-Schukomat SCHUKO® socket insert Protective Contact (SCHUKO) 30 mA stainless steel - Pure Stainless Steel                                    | 3120 EUCB-866      | 1 | sztuka |
| 2CKA003117A0011 | Buschmat RCD - Insert RCD 30 mA stainless steel - Pure Stainless Steel                                                                         | 3151 UC-866        | 1 | sztuka |
| 2CKA006115A0492 | 6108/61-866-500 Coverplate f. CE                                                                                                               | 6108/61-866-500    | 1 | sztuka |
| 2CKA006155A0069 | 6109/03-866-500 Coverplate f. RTC                                                                                                              | 6109/03-866-500    | 1 | sztuka |
| 2CKA006132A0385 | 6122/10-866-500 BW standard                                                                                                                    | 6122/10-866-500    | 1 | sztuka |
| 2CKA006115A0211 | 6125/01-866-500 Control element 1g w. BAU                                                                                                      | 6125/01-866-500    | 1 | sztuka |
| 2CKA006115A0223 | 6125/02-866-500 Control element 1/2gang                                                                                                        | 6125/02-866-500    | 1 | sztuka |
| 2CKA006116A0201 | 6126/01-866-500 Control element 2g w. BAU                                                                                                      | 6126/01-866-500    | 1 | sztuka |
| 2CKA006116A0213 | 6126/02-866-500 Control element 2/4gang                                                                                                        | 6126/02-866-500    | 1 | sztuka |

|                 |                                                                                                    |                    |   |        |
|-----------------|----------------------------------------------------------------------------------------------------|--------------------|---|--------|
| 2CKA006117A0227 | 6127/01-866-500 Control element 4g w. BAU                                                          | 6127/01-866-500    | 1 | sztuka |
| 2CKA006117A0239 | 6127/02-866-500 Control element 4/8gang                                                            | 6127/02-866-500    | 1 | sztuka |
| 2CKA006134A0335 | 6128/28-866-500 RTC Control element 2/4g                                                           | 6128/28-866-500    | 1 | sztuka |
| 2CKA006135A0162 | 6129/01-866-500 Control element 3/6g w. IR                                                         | 6129/01-866-500    | 1 | sztuka |
| 2CKA006310A0106 | 6340-866-101-500 Control element 1-gang                                                            | 6340-866-101-500   | 1 | sztuka |
| 2CKA006310A0114 | 6341-866-101-500 Rotary control element 1-gang                                                     | 6341-866-101-500   | 1 | sztuka |
| 2CKA006310A0122 | 6342-866-101-500 Control element 3-gang                                                            | 6342-866-101-500   | 1 | sztuka |
| 2CKA006310A0078 | 6345-866-101-500 Motion sensor                                                                     | 6345-866-101-500   | 1 | sztuka |
| 2CKA006430A0343 | Control Element for Venetian blind stainless steel - Pure Stainless Steel                          | 6430-866-102       | 1 | sztuka |
| 2CKA006430A0344 | Cover plate with legend for Time switch Central cover plate stainless steel - Pure Stainless Steel | 6435-866           | 1 | sztuka |
| 2CKA006470A0009 | Cover Plate for Proximity switch stainless steel - Pure Stainless Steel                            | 6476-866           | 1 | sztuka |
| 2CKA006400A0064 | Cover Plate PowerDock 1 gang stainless steel - Pure Stainless Steel                                | 6477-866           | 1 | sztuka |
| 2CKA006599A2959 | Cover Plate for Dimmer Turn button with Neon lamp stainless steel - Pure Stainless Steel           | 6540-866-102       | 1 | sztuka |
| 2CKA006599A2924 | Cover Plate for Cooling Central cover plate stainless steel - Pure Stainless Steel                 | 6541-866           | 1 | sztuka |
| 2CKA006599A2926 | Control Element for Switch/dimmer Single push button stainless steel - Pure Stainless Steel        | 6543-866-101       | 1 | sztuka |
| 2CKA006599A2927 | Control Element for Dimmer Two-part button with Neon lamp stainless steel - Pure Stainless Steel   | 6545-866           | 1 | sztuka |
| 2CKA006730A0041 | WaveLine Electronic Controls 1 channel Radio Control stainless steel - Pure Stainless Steel        | 6731-866-500       | 1 | sztuka |
| 2CKA006730A0042 | Wall sensor 2 channel Radio Control stainless steel - Pure Stainless Steel                         | 6732-866-500       | 1 | sztuka |
| 2CKA006730A0043 | Electronic Controls 4 channel Radio Control stainless steel - Pure Stainless Steel                 | 6733-866-500       | 1 | sztuka |
| 2CKA006730A0139 | Control Element for Dimmer Two-part button stainless steel - Pure Stainless Steel                  | 6736 FoH-866       | 1 | sztuka |
| 2CKA006800A2843 | Electronic Controls stainless steel - Pure Stainless Steel                                         | 6815-866-101-500   | 1 | sztuka |
| 2CKA008200A0264 | Cover plate with legend Radio 0 gang stainless steel - Pure Stainless Steel                        | 8252-866-101-500   | 1 | sztuka |
| 2CKA008200A0087 | Cover Plate Loudspeaker stainless steel - Pure Stainless Steel                                     | 8253-866           | 1 | sztuka |
| 2CKA006220A0549 | CP-FCC-866 C-plate Fan Coil                                                                        | CP-FCC-866         | 1 | sztuka |
| 2CKA006220A0546 | CP-RTC-866 C-plate RT sensor unit                                                                  | CP-RTC-866         | 1 | sztuka |
| 2CKA006220A0547 | MD-F-1.0.1-866 Movement detector                                                                   | MD-F-1.0.1-866     | 1 | sztuka |
| 2CKA006220A0548 | MSA-F-1.1.1-866 Mov. detector/actuator 1g                                                          | MSA-F-1.1.1-866    | 1 | sztuka |
| 2CKA006200A0096 | MSA-F-1.1.1-866-WL WL-Mov. detector/act. 1g                                                        | MSA-F-1.1.1-866-WL | 1 | sztuka |
| 2CKA006220A0533 | Electronic Controls free@home stainless steel - solo                                               | SR-1-866           | 1 | sztuka |
| 2CKA006220A0538 | Electronic Controls free@home stainless steel - solo                                               | SR-2-866           | 1 | sztuka |
| 2CKA006220A0535 | Electronic Controls free@home stainless steel - solo                                               | SRB-1-866          | 1 | sztuka |

|                 |                                                      |             |   |        |
|-----------------|------------------------------------------------------|-------------|---|--------|
| 2CKA006220A0540 | Electronic Controls free@home stainless steel - solo | SRB-2-866   | 1 | sztuka |
| 2CKA006220A0537 | Electronic Controls free@home stainless steel - solo | SRD-1-866   | 1 | sztuka |
| 2CKA006220A0542 | Electronic Controls free@home stainless steel - solo | SRD-2-L-866 | 1 | sztuka |
| 2CKA006220A0543 | Electronic Controls free@home stainless steel - solo | SRD-2-R-866 | 1 | sztuka |
| 2CKA006220A0534 | Electronic Controls free@home stainless steel - solo | SRL-1-866   | 1 | sztuka |
| 2CKA006220A0539 | Electronic Controls free@home stainless steel - solo | SRL-2-L-866 | 1 | sztuka |
| 2CKA006220A0544 | Electronic Controls free@home stainless steel - solo | SRL-2-R-866 | 1 | sztuka |
| 2CKA006220A0536 | Electronic Controls free@home stainless steel - solo | SRS-1-866   | 1 | sztuka |
| 2CKA006220A0541 | Electronic Controls free@home stainless steel - solo | SRS-2-L-866 | 1 | sztuka |
| 2CKA006220A0545 | Electronic Controls free@home stainless steel - solo | SRS-2-R-866 | 1 | sztuka |

Kategorie

Produkty niskiego napięcia i systemy → Wiring Accessories - Light Switch Ranges → Frames

