



osłona zacisków, 1-biegunowy, wyposażenie do wyłącznika głównego i awaryjnego  
wyłącznik 3LD2 do 160A - 250A oraz wyłącznika głównego i awaryjnego wyłącznik  
3LD5 UL do 100A-150A

### Wersja

|                        |                                                          |
|------------------------|----------------------------------------------------------|
| Nazwa markowa produktu | SETRON                                                   |
| oznaczenie produktu    | Osłona przyłączy                                         |
| wykonanie produktu     | Wyposażenie do wyłącznika głównego i awaryjnego 3LD23/24 |

### Zezwolenia Certyfikaty

|                          |       |             |
|--------------------------|-------|-------------|
| General Product Approval | other | Environment |
|--------------------------|-------|-------------|

[Confirmation](#)



[Miscellaneous](#)

[Confirmation](#)

[Environmental Con-  
firmations](#)

### Więcej informacji

Informacje dotyczące opakowania

[Informacje dotyczące opakowania](#)

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3LD9241-2A>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pl/ps/3LD9241-2A>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)



[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=3LD9241-2A](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3LD9241-2A)

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



---

Ostatnia zmiana:

28.09.2021 

