



wyposażenie do 3KF wielk. 5 napęd bezpośredni, czerwony/żółty możliwość zablokowania w pozycji wyl. z trzema kłódkami

Wersja	
Nazwa markowa produktu	SENTRON
oznaczenie produktu	Wypożalenie dodatkowe do rozłącznika izolacyjnego
wykonanie produktu	Napęd bezpośredni
możliwość zastosowania	do 3KF wielkość 5
kolor napędu	'czerwony/żółty
opis produktu	zamykanie za pomocą maks. 3 zamków
Konstrukcja mechaniczna	
masa netto	950 g
Certyfikaty	
• znak referencyjny zgodnie z DIN EN 61346-2 • oznaczenie środków roboczych zgodnie z IEC 81346-2:2009	Q Q
Zezwolenia Certyfikaty	
General Product Approval	



[Confirmation](#)




[Miscellaneous](#)



Test Certificates	Marine / Shipping	other	Environment
Type Test Certificates/Test Report		Miscellaneous	Confirmation
			Environmental Confirmations

Więcej informacji
Informacje dotyczące opakowania Informacje dotyczące opakowania Information- and Downloadcenter (Catalogs, Brochures,...) http://www.siemens.com/lowvoltage/catalogs Industry Mall (Online ordering system) https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3KF9501-2AA00 Service&Support (Manuals, Certificates, Characteristics, FAQs,...) https://support.industry.siemens.com/cs/ww/pl/ps/3KF9501-2AA00 Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...) http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3KF9501-2AA00 CAX-Online-Generator http://www.siemens.com/cax Tender specifications



Ostatnia zmiana:

19.08.2022 

