

szyna zbiorcza kołkowa zabezpieczona przed dotknięciem, 10 mm² 3-fazowy+AUX, długość 214 mm z możliwością cięcia, z nasadkami krańcowymi




Figure similar

Wersja	
Nazwa markowa produktu	SETRON
oznaczenie produktu	szyna zbiorcza kołkowa
wykonanie produktu	10 mm ² , 3FAZ+AUX L214 mm
Ogólne dane techniczne	
liczba faz	3
przekrój	10 mm ²
Obwód główny	
prąd roboczy wartość znamionowa	63 A
Szczegóły produktu	
właściwość produktu elektrycznie izolowany	Tak
Połączenia	
wykonanie przyłącza elektrycznego	Kolek
Konstrukcja mechaniczna	
szerokość	18 mm
długość	214 mm
masa netto	74,01 g
Zezwolenia Certyfikaty	
General Product Approval	other



[Confirmation](#)

[Miscellaneous](#)



[Confirmation](#)

other	Environment
Miscellaneous	Environmental Confirmations

Więcej informacji
Informacje dotyczące opakowania Informacje dotyczące opakowania Information- and Downloadcenter (Catalogs, Brochures,...) http://www.siemens.com/lowvoltage/catalogs Industry Mall (Online ordering system) https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5ST3741 Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pl/ps/5ST3741>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5ST3741

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



¹⁾ Pin spacings in MW (Modular widths, 1 MW = 18

