

system szyn zbiorczych, akcesoria Odległość środków szyn 40, 60mm, łącznik szyn zbiorczych Grubość szyny: 5,10 mm Szerokość 12-20mm (długość 55 mm)



Wersja	
Nazwa markowa produktu	SETRON
oznaczenie produktu	Element łączący szyn zbiorczych
wykonanie produktu	Akcesoria
Napięcie zasilania	
napięcie robocze przy AC wartość znamionowa	690 V
Rozpraszanie	
Strata mocy [W]	2,5 W
możliwość zastosowania	do szyn zbiorczych 12, 15, 20 x 5, 10 mm i szyn profilowych
Połączenia	
moment dokręcenia • maksymalny	12 N·m
Zezwolenia Certyfikaty	
General Product Approval	Test Certificates



[Confirmation](#)



[Miscellaneous](#)

Marine / Shipping	other	Environment
		Confirmation
		Miscellaneous
		Environmental Confirmations

Więcej informacji
Informacje dotyczące opakowania Informacje dotyczące opakowania Information- and Downloadcenter (Catalogs, Brochures,...) http://www.siemens.com/lowvoltage/catalogs Industry Mall (Online ordering system) https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8US1921-2BF00 Service&Support (Manuals, Certificates, Characteristics, FAQs,...) https://support.industry.siemens.com/cs/ww/pl/ps/8US1921-2BF00 Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...) http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8US1921-2BF00 CAX-Online-Generator http://www.siemens.com/cax Tender specifications http://www.siemens.com/specifications

