



SENTRON, bezpiecznik cylindryczny, Class CC, 1,5 A, zwłoczny, Un AC: 600 V, przestrzegać krajowych przepisów instalacyjnych! zabezpieczenie transformatorów sterujących, dławików, indukcyjności

Wersja	
Nazwa markowa produktu	SENTRON
oznaczenie produktu	Wkładka bezpiecznika cylindrycznego
Ogólne dane techniczne	
charakterystyka wkładki bezpiecznikowej	zwłoczny
wielkość wkładki bezpiecznikowej	Class CC
rodzaj napięcia napięcia roboczego	AC
napięcie robocze przy AC wartość znamionowa	600 V
Obwód główny	
prąd roboczy wartość nominalna	2 A
Szczegóły produktu	
element składowy produktu sygnalizator uderzenia	Nie
Konstrukcja mechaniczna	
pozycja montażowa	dowolnie, najlepiej pionowo
masa netto	8 g
Zezwolenia Certyfikaty	
General Product Approval	other



[Confirmation](#)



EG-Konf.



UL




[Miscellaneous](#)

other

[Confirmation](#)

Więcej informacji
Informacje dotyczące opakowania
Informacje dotyczące opakowania
Information- and Downloadcenter (Catalogs, Brochures,...)
http://www.siemens.com/lowvoltage/catalogs
Industry Mall (Online ordering system)
https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3NW1015-0HG
Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
https://support.industry.siemens.com/cs/ww/pl/ps/3NW1015-0HG
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)
http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NW1015-0HG
CAX-Online-Generator



Ostatnia zmiana:

8.08.2023 

