



Figure similar

SETRON, bezpiecznik cylindryczny, Class CC, 4 A, szybki, Un AC: 600 V, przestrzegać krajowych przepisów instalacyjnych! zabezpieczenie instalacji oświetleniowych, grzałki, urządzenia sterownicze

Wersja	
Nazwa markowa produktu	SETRON
oznaczenie produktu	Wkładka bezpiecznika cylindrycznego
Ogólne dane techniczne	
charakterystyka wkładki bezpiecznikowej	szybki
wielkość wkładki bezpiecznikowej	Class CC
rodzaj napięcia napięcia roboczego	AC
napięcie robocze przy AC wartość znamionowa	600 V
Obwód główny	
prąd roboczy wartość nominalna	4 A
Szczegóły produktu	
element składowy produktu sygnalizator uderzenia	Nie
Konstrukcja mechaniczna	
pozycja montażowa	dowolnie, najlepiej pionowo
masa netto	8 g
Zezwolenia Certyfikaty	
General Product Approval	other



[Confirmation](#)



EG-Konf.



UL




[Confirmation](#)

other

[Miscellaneous](#)

Więcej informacji
Informacje dotyczące opakowania
Informacje dotyczące opakowania
Information- and Downloadcenter (Catalogs, Brochures,...)
http://www.siemens.com/lowvoltage/catalogs
Industry Mall (Online ordering system)
https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3NW2040-0HG
Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
https://support.industry.siemens.com/cs/ww/pl/ps/3NW2040-0HG
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)
http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NW2040-0HG



Ostatnia zmiana:

8.08.2023 

