



drzwi przegrody 3WA wielkość 1, 3- lub 4-bieg., IP40, wys.: 550 mm szer.: 400 mm

| Wersja                                              |                     |
|-----------------------------------------------------|---------------------|
| Nazwa markowa produktu                              | SIVACON S4          |
| oznaczenie produktu                                 | Drzwi półki         |
| wykonanie produktu                                  | Wielkość 1          |
| wykonanie powierzchni                               | powlekany proszkowo |
| wykonanie produktu kompatybilny elektromagnetycznie | Nie                 |
| Klasa ochrony                                       |                     |
| Stopień ochrony IP                                  | IP40                |
| stopień ochrony środków roboczych                   | 1                   |
| Wygląd                                              |                     |
| kolor                                               | jasny szary         |
| Szczegóły produktu                                  |                     |
| element składowy produktu                           |                     |
| • wentylacja                                        | Nie                 |
| • drzwi przezroczyste                               | Nie                 |
| • drzwi z blokadą rozłącznika                       | Nie                 |
| akcesoria zawarte w zakresie dostawy                | nie                 |
| Konstrukcja mechaniczna                             |                     |
| wysokość                                            | 550 mm              |
| szerokość                                           | 400 mm              |
| głębokość                                           | 25 mm               |
| kierunek otwierania drzwi                           | Lewo / prawo        |
| masa netto                                          | 3 kg                |
| materiał                                            | Blacha stalowa      |
| Zezwolenia Certyfikaty                              |                     |
| General Product Approval                            |                     |

[Miscellaneous](#)



EG-Konf.

[Confirmation](#)



[Miscellaneous](#)

|                               |       |             |
|-------------------------------|-------|-------------|
| General Product Ap-<br>proval | other | Environment |
|-------------------------------|-------|-------------|



[Miscellaneous](#)

[Confirmation](#)

[Environmental Con-  
firmations](#)

## Więcej informacji

Informacje dotyczące opakowania

[Informacje dotyczące opakowania](#)

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8PQ2055-4BA12>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pl/ps/8PQ2055-4BA12>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=8PQ2055-4BA12](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8PQ2055-4BA12)

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>

---

Ostatnia zmiana:

22.03.2023 

