



Sprzęgło M8 z przewodem przyłączeniowym o długości 5 m dla wtyczki M8 4-biegunowy, do łącznika magnetycznego 3SE66




| Ogólne dane techniczne                  |                                                |
|-----------------------------------------|------------------------------------------------|
| Nazwa markowa produktu                  | SIRIUS                                         |
| oznaczenie produktu                     | Złączka, wtyczka M8, do 3SE66                  |
| prąd roboczy 40°C wartość znamionowa    | 4 A                                            |
| napięcie robocze wartość znamionowa     | 30 V                                           |
| liczba biegunów                         | 4                                              |
| długość przewodu przyłączanego przewodu | 5 m                                            |
| temperatura otoczenia podczas pracy     | -25 ... +85 °C                                 |
| wykonanie przyłącza elektrycznego       | Złączka wtykowa M8                             |
| Oznaczenie barwowe rdzenia              | Pin 1 = BN, Pin 2 = WH, Pin 3 = BU, Pin 4 = BK |
| kategoria przepięciowa                  | 2                                              |
| stopień zanieczyszczenia                | 3                                              |
| Stopień ochrony IP                      | IP67                                           |
| materiał                                |                                                |
| • zestyku                               | CuSn                                           |
| • pokrycia styku                        | Au                                             |
| • pokrycia głównej części styku         | PUR                                            |
| Aprobaty/ Certyfikaty                   |                                                |
| General Product Approval                | other                                          |

[Confirmation](#)



[Confirmation](#)

| Więcej informacji                                                                                                                                                                                         |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Informacje dotyczące opakowania                                                                                                                                                                           |
| <a href="#">Informacje dotyczące opakowania</a>                                                                                                                                                           |
| Information- and Downloadcenter                                                                                                                                                                           |
| <a href="https://www.siemens.com/ic10">https://www.siemens.com/ic10</a>                                                                                                                                   |
| Industry Mall (System zamawiania online)                                                                                                                                                                  |
| <a href="https://mall.industry.siemens.com/mall/pl/pl/Catalog/product?mlfb=3SX5601-3GA05">https://mall.industry.siemens.com/mall/pl/pl/Catalog/product?mlfb=3SX5601-3GA05</a>                             |
| CAX-Online-Generator                                                                                                                                                                                      |
| <a href="http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&amp;mlfb=3SX5601-3GA05">http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&amp;mlfb=3SX5601-3GA05</a> |
| Service&Support                                                                                                                                                                                           |
| <a href="https://support.industry.siemens.com/cs/ww/en/ps/3SX5601-3GA05">https://support.industry.siemens.com/cs/ww/en/ps/3SX5601-3GA05</a>                                                               |
| Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)                                                                                             |
| <a href="http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3SX5601-3GA05&amp;lang=en">http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3SX5601-3GA05&amp;lang=en</a>                     |



|   |            |
|---|------------|
| 1 | BN = Brown |
| 2 | WH = White |
| 3 | BU = Blue  |
| 4 | BK = Black |

