



napęd obrotowy Pokrętko włączające czerwony/żółty do czterootworowego mocowanie frontowe, do 25A i 32A, wyposażenie do wyłącznika głównego i wyłącznik awaryjny 3LD2

| Wersja                                                                                                             |                |             |
|--------------------------------------------------------------------------------------------------------------------|----------------|-------------|
| Nazwa markowa produktu                                                                                             | SETRON         |             |
| oznaczenie produktu                                                                                                | Napęd obrotowy |             |
| Stopień ochrony NEMA                                                                                               | 1, 3R, 4X, 12  |             |
| możliwość zastosowania                                                                                             |                |             |
| <ul style="list-style-type: none"><li>rozłącznik izolacyjny</li></ul>                                              | Tak            |             |
| <ul style="list-style-type: none"><li>wyłącznik</li></ul>                                                          | Nie            |             |
| <ul style="list-style-type: none"><li>wyłącznik awaryjny</li></ul>                                                 | Nie            |             |
|                                                                                                                    |                |             |
| <ul style="list-style-type: none"><li>kolor</li></ul>                                                              | Czarny         |             |
| <ul style="list-style-type: none"><li>kolor napędu</li></ul>                                                       | czarny         |             |
|                                                                                                                    |                |             |
| <ul style="list-style-type: none"><li>część składowa produktu z osią</li></ul>                                     | Nie            |             |
| <ul style="list-style-type: none"><li>część składowa produktu blok funkcyjny, blokada ponownego rozruchu</li></ul> | Nie            |             |
| <ul style="list-style-type: none"><li>element składowy produktu zamknięcie na kłódkę</li></ul>                     | Nie            |             |
| <ul style="list-style-type: none"><li>część składowa produktu zamek na klucz</li></ul>                             | Nie            |             |
| akcesoria                                                                                                          |                |             |
| grubość pałaka kłódek                                                                                              | 4 ... 8 mm     |             |
| Zezwolenia Certyfikaty                                                                                             |                |             |
| General Product Approval                                                                                           | other          | Environment |

[Confirmation](#)



[Confirmation](#)

[Miscellaneous](#)

[Environmental Con-  
firmations](#)

### Więcej informacji

Informacje dotyczące opakowania

[Informacje dotyczące opakowania](#)

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3LD9224-3B>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pl/ps/3LD9224-3B>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)



[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=3LD9224-3B](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3LD9224-3B)

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



Ostatnia zmiana:

18.06.2023 

