



Figure similar

SENTRON, uchwyt bezpiecznika cylindrycznego, 10x38 mm, 1-bieg.+N, In: 32 A, Un AC: 690 V, sygnalizator LED

| Wersja                                                  |                                    |
|---------------------------------------------------------|------------------------------------|
| Nazwa markowa produktu                                  | SENTRON                            |
| oznaczenie produktu                                     | Uchwyt bezpiecznika cylindrycznego |
| wykonanie produktu                                      | Sygnalizator LED                   |
| Ogólne dane techniczne                                  |                                    |
| liczba biegunów                                         | 2                                  |
| wersja biegunów                                         | 1 faz. + N                         |
| wielkość wkładki bezpiecznikowej                        | 10 x 38 mm                         |
| Napięcie zasilania                                      |                                    |
| napięcie robocze                                        | 690 V                              |
| • przy AC wartość znamionowa                            |                                    |
| Stopień ochrony IP                                      | IP20                               |
| Konstrukcja mechaniczna                                 |                                    |
| wysokość                                                | 81 mm                              |
| szerokość                                               | 18 mm                              |
| głębokość                                               | 64 mm                              |
| masa netto                                              | 75 g                               |
| Certyfikaty                                             |                                    |
| oznaczenie środków roboczych zgodnie z IEC 81346-2:2009 | F                                  |
| Zezwolenia Certyfikaty                                  |                                    |
| General Product Approval                                | Test Certificates                  |

[Confirmation](#)



[Miscellaneous](#)

other

[Miscellaneous](#)

[Confirmation](#)

| Więcej informacji                                                                                   |
|-----------------------------------------------------------------------------------------------------|
| Informacje dotyczące opakowania                                                                     |
| <a href="#">Informacje dotyczące opakowania</a>                                                     |
| Information- and Downloadcenter (Catalogs, Brochures,...)                                           |
| <a href="http://www.siemens.com/lowvoltage/catalogs">http://www.siemens.com/lowvoltage/catalogs</a> |

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3NW7054>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pl/ps/3NW7054>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)



[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=3NW7054](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NW7054)


CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>





---

Ostatnia zmiana:

11.07.2023 

