

ALPHA 630/1250 DIN zestaw instalacyjny rozłącznik izolacyjny z bezpiecznikiem 1x 3KF3... lub 3KF4... do 400 A dla urządzeń z napędem obrotowym drzwiovym ze sprzęgłem w osłonie pola na środku W=300mm, szer.= 500 mm głębokość rozdzielnic min. 320 mm



| Wersja                         |                                                                            |
|--------------------------------|----------------------------------------------------------------------------|
| Nazwa markowa produktu         | ALPHA                                                                      |
| oznaczenie produktu            | Zestaw montażowy rozłącznika izolacyjnego z bezpiecznikiem                 |
| wykonanie produktu             | 1 x 3KF3 /3KF4 do napędu obrotowego drzwiovego ze sprzęgłem w osłonie pola |
| wykonanie osłony               | z wycięciem                                                                |
| element składowy produktu      |                                                                            |
| • szyna uziemiająca            | Nie                                                                        |
| • osłona z tworzywa sztucznego | Tak                                                                        |
| • płyta montażowa              | Tak                                                                        |
| Konstrukcja mechaniczna        |                                                                            |
| wysokość                       | 300 mm                                                                     |
| szerokość                      | 500 mm                                                                     |
| głębokość                      | 320 mm                                                                     |
| pozycja montażowa              | montaż pionowy                                                             |

| Zezwolenia Certyfikaty   |                   |       |
|--------------------------|-------------------|-------|
| General Product Approval | Test Certificates | other |



[Confirmation](#)



[Special Test Certificate](#)

[Confirmation](#)

|       |             |
|-------|-------------|
| other | Environment |
|-------|-------------|

[Miscellaneous](#)

[Environmental Confirmations](#)

### Więcej informacji

Informacje dotyczące opakowania

[Informacje dotyczące opakowania](#)

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8GK4722-2KK20>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pl/ps/8GK4722-2KK20>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=8GK4722-2KK20](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8GK4722-2KK20)

CAX-Online-Generator

<http://www.siemens.com/cax>

**Tender specifications**

<http://www.siemens.com/specifications>



Ostatnia zmiana:

24.06.2022 

