



ALPHA 400/630/1250 DIN zestaw instalacyjny rozłącznik izolacyjny 3KD...
wielkość 1 i 2 W=300mm, szer.= 250 mm do zastosowania 2x wielk. 1 (urządzenia
3-biegunowe) lub 1x rozm. 1 lub 2 (urządzenia 4-biegunowe) do urządzeń z
napędem bezpośrednim

Wersja		
Nazwa markowa produktu	ALPHA	
oznaczenie produktu	Zestaw montażowy rozłącznika izolacyjnego	
wykonanie produktu	1x 3KD	
wykonanie osłony	z wycięciem	
element składowy produktu		
• szyna uziemiająca	Nie	
• osłona z tworzywa sztucznego	Tak	
• płyta montażowa	Tak	
Konstrukcja mechaniczna		
wysokość	300 mm	
szerokość	250 mm	
pozycja montażowa	montaż pionowy	
masa netto	1 000 g	
Zezwolenia Certyfikaty		
General Product Approval	Test Certificates	other




[Special Test Certificate](#)

[Confirmation](#)

other	Environment
Miscellaneous	Environmental Confirmations

Więcej informacji
Informacje dotyczące opakowania Informacje dotyczące opakowania Information- and Downloadcenter (Catalogs, Brochures,...) http://www.siemens.com/lowvoltage/catalogs Industry Mall (Online ordering system) https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8GK4720-2KK10 Service&Support (Manuals, Certificates, Characteristics, FAQs,...) https://support.industry.siemens.com/cs/ww/pl/ps/8GK4720-2KK10 Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...) http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8GK4720-2KK10 CAx-Online-Generator http://www.siemens.com/cax Tender specifications



Ostatnia zmiana:

24.06.2022 

