



system szyn zbiorczych Odstęp między osiami szyn 60mm, Adapter urządzeniowy, Szerokość 45 mm Grubość szyny: 5,10mm+profil TT do dowolnego wyposażenia z 1 szyną nośną 35mm,...25A zaciski odejścia na górze 1,5...4 mm² długość 182 mm

Wersja	
Nazwa markowa produktu	SETRON
oznaczenie produktu	Adapter urządzenia
wykonanie produktu	Akcesoria
Konstrukcja mechaniczna	
wysokość	182 mm
szerokość adaptera	45 mm
grubość szyny prądowej	
• minimalny	5 mm
odstęp między środkami szyn	60 mm
masa netto	157,3 g
Zezwolenia Certyfikaty	
General Product Approval	



[Confirmation](#)



Test Certificates	Marine / Shipping	other
Miscellaneous	 ABS	 PRS
	 RINA	Miscellaneous Confirmation

Environment
Environmental Confirmations

Więcej informacji
Informacje dotyczące opakowania
Informacje dotyczące opakowania
Information- and Downloadcenter (Catalogs, Brochures,...)
http://www.siemens.com/lowvoltage/catalogs
Industry Mall (Online ordering system)
https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8US1250-5RM07
Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pl/ps/8US1250-5RM07>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)



http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8US1250-5RM07

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



Ostatnia zmiana:

28.09.2021 

