



system szyn zbiorczych Odstęp między osiami szyn 60mm, Adapter urządzeniowy, Szerokość 45 mm Grubość szyny: 5,10mm+profil TT dla wyłącznika, Stycznik Przekaznik przeciążeniowy, odgałęźnik silnika S00, S0, długość 182 mm z 1 szyną nośną 35mm, do 25A

| Wersja                      |                    |
|-----------------------------|--------------------|
| Nazwa markowa produktu      | SETRON             |
| oznaczenie produktu         | Adapter urządzenia |
| wykonanie produktu          | Akcesoria          |
| liczba szyn montażowych     | 1                  |
| Konstrukcja mechaniczna     |                    |
| wysokość                    | 182 mm             |
| szerokość adaptera          | 45 mm              |
| głębokość                   | 60 mm              |
| grubość szyny prądowej      |                    |
| • minimalny                 | 5 mm               |
| odstęp między środkami szyn | 60 mm              |
| masa netto                  | 167,5 g            |
| Zezwolenia Certyfikaty      |                    |
| General Product Approval    |                    |



[Confirmation](#)



| Test Certificates             | Marine / Shipping                                                                                                                                                                                                                                           | other                                                      |
|-------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------|
| <a href="#">Miscellaneous</a> |    | <a href="#">Miscellaneous</a> <a href="#">Confirmation</a> |

### Environment

[Environmental Confirmations](#)

### Więcej informacji

Informacje dotyczące opakowania

[Informacje dotyczące opakowania](#)

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8US1251-5DM07>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<https://support.industry.siemens.com/cs/ww/pl/ps/8US1251-5DM07>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**

[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=8US1251-5DM07](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8US1251-5DM07)

**CAX-Online-Generator**

<http://www.siemens.com/cax>

**Tender specifications**

<http://www.siemens.com/specifications>

---

Ostatnia zmiana:

28.09.2021 

