



Figure similar

NEOZED, podstawa bezpiecznikowa, D01, 1-bieg., 16 A, Un AC: 400 V, Un DC: 250 V z 2-krotnym zaciskiem ramowym

| Wersja                                                                                              |                                        |
|-----------------------------------------------------------------------------------------------------|----------------------------------------|
| Nazwa markowa produktu                                                                              | NEOZED                                 |
| oznaczenie produktu                                                                                 | Podstawa bezpiecznikowa                |
| wykonanie produktu                                                                                  | Podstawa bezpiecznika montażowa NEOZED |
| Ogólne dane techniczne                                                                              |                                        |
| liczba biegunów                                                                                     | 1                                      |
| rozmiar bezpiecznika zgodnie z DIN EN 60269-1                                                       | D01                                    |
| Napięcie zasilania                                                                                  |                                        |
| napięcie robocze wartość znamionowa                                                                 | 400 V                                  |
| Rozpraszanie                                                                                        |                                        |
| Strata mocy [W] w przypadku wartości znamionowej prądu w przypadku AC w stanie rozgrzanym na biegun | 0,2 W                                  |
| Obwód główny                                                                                        |                                        |
| prąd roboczy wartość znamionowa                                                                     | 16 A                                   |
| Szczegóły produktu                                                                                  |                                        |
| element składowy produktu osłona                                                                    | Tak                                    |
| Konstrukcja mechaniczna                                                                             |                                        |
| wysokość                                                                                            | 83 mm                                  |
| szerokość                                                                                           | 27 mm                                  |
| głębokość                                                                                           | 64 mm                                  |
| rodzaj montażu                                                                                      | Szyna DIN                              |
| masa netto                                                                                          | 130 g                                  |
| materiał wtyku bezpiecznikowego typu D                                                              | Tworzywo sztuczne                      |
| Zezwolenia Certyfikaty                                                                              |                                        |
| General Product Approval                                                                            | other                                  |



Confirmation



Miscellaneous

| other                        | Environment                                 |
|------------------------------|---------------------------------------------|
| <a href="#">Confirmation</a> | <a href="#">Environmental Confirmations</a> |

Informacje dotyczące opakowania

[Informacje dotyczące opakowania](#)

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5SG1301>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pl/ps/5SG1301>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=5SG1301](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5SG1301)

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>





---

Ostatnia zmiana:

24.09.2021 

