













ENDURA® FLOOD



	EAN	W	lm	K	°C	V~	mA	Hz	PF
ENDURA® FLOOD 10 W 830 WT	4058075239616	10	800	3000	-20...+45	220-240	46	50/60	≥0.9
ENDURA® FLOOD 20 W 830 WT	4058075239630	20	1700	3000	-20...+45	220-240	92	50/60	≥0.9
ENDURA® FLOOD 30 W 830 WT	4058075239654	30	2700	3000	-20...+45	220-240	145	50/60	≥0.9
ENDURA® FLOOD 50 W 830 WT	4058075239678	50	4500	3000	-20...+45	220-240	220	50/60	≥0.9
ENDURA® FLOOD SENSOR 10 W 830 WT	4058075292178	10	800	3000	-10...+40	220-240	46	50/60	≥0.7
ENDURA® FLOOD SENSOR 20 W 830 WT	4058075239692	20	1700	3000	-10...+40	220-240	92	50/60	≥0.9
ENDURA® FLOOD SENSOR 30 W 830 WT	4058075239715	30	2700	3000	-10...+40	220-240	145	50/60	≥0.9
ENDURA® FLOOD SENSOR 50 W 830 WT	4058075239739	50	4500	3000	-10...+40	220-240	220	50/60	≥0.9







LEDVANCE GmbH
Steinerne Furt 62
86167 Augsburg, Germany
www.ledvance.com