




napęd obrotowy, pokrętko włączające czerwone/żółte, dający się przechytyżyć, 66x66 mm, zamknięcie w pozycji 0, do mocowania przedniego czterootworowego. Wyposażenie dodatkowe do rozłącznika izolacyjnego 3LD3

Wersja		
Nazwa markowa produktu	SETRON	
oznaczenie produktu	Napęd obrotowy	
Stopień ochrony NEMA	inny	
możliwość zastosowania		
rozłącznik izolacyjny	Tak	
wyłącznik	Nie	
wyłącznik awaryjny	Tak	
kolor	czerwony / żółty	
kolor napędu	czerwony / żółty	
część składowa produktu z osią	Nie	
część składowa produktu blok funkcyjny, blokada ponownego rozruchu	Nie	
element składowy produktu zamknięcie na kłódkę	Nie	
część składowa produktu zamek na klucz	Nie	
akcesoria		
grubość pałaka kłódek	4 ... 6 mm	
Zezwolenia Certyfikaty		
General Product Approval	other	Environment



Więcej informacji
Informacje dotyczące opakowania Informacje dotyczące opakowania Information- and Downloadcenter (Catalogs, Brochures,...) http://www.siemens.com/lowvoltage/catalogs Industry Mall (Online ordering system) https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3LD9343-3C Service&Support (Manuals, Certificates, Characteristics, FAQs,...) https://support.industry.siemens.com/cs/ww/pl/ps/3LD9343-3C Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...) http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3LD9343-3C CAX-Online-Generator http://www.siemens.com/cax Tender specifications http://www.siemens.com/specifications



Ostatnia zmiana:

24.10.2023 

