

## Connector component - VS-PPC-C1-PC-ROBK - 1404773

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid  
(<http://phoenixcontact.com/download>)

Sealing plug for push-pull panel mounting frame, data (VS-PPC-F1...), IP54 degree of protection



**RoHS** **IP54**

### Key Commercial Data

|              |                                                                                                         |
|--------------|---------------------------------------------------------------------------------------------------------|
| Packing unit | 1 pc                                                                                                    |
| GTIN         | <br>4 046356 316262 |
| GTIN         | 4046356316262                                                                                           |

### Technical data

#### Material data

|        |         |
|--------|---------|
| Width  | 20 mm   |
| Height | 20 mm   |
| Length | 19.5 mm |


#### Environmental Product Compliance

|            |                                                                                                     |
|------------|-----------------------------------------------------------------------------------------------------|
|            | Lead 7439-92-1                                                                                      |
| China RoHS | Environmentally Friendly Use Period = 50                                                            |
|            | For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration" |

### Drawings

## Connector component - VS-PPC-C1-PC-ROBK - 1404773

Dimensional drawing



Sealing plug for push-pull panel mounting frame

### Approvals

Approvals

Approvals

EAC

Ex Approvals

Approval details

EAC



B.01742

Phoenix Contact 2020 © - all rights reserved  
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG  
Flachsmarktstr. 8  
32825 Blomberg  
Germany  
Tel. +49 5235 300  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.com>