CERTIFICATE

Issued to:
Applicant:
Cooper Securite SAS
Parc Européen d'Entreprise RII
Rue Beethoven - BP 10184
63204 Riom, France

Licensee:
COOPER CSA S.R.L.
Via San Bovio 3 - Edificio Y
20090 Segrate (MI), Italy

Product	:	Luminaire for emergency lighting with LED light source
Trade name(s)	:	EATON, EATON CROMPTON, EATON JSB or EATON MENVIER
Type(s)/model(s)	:	SL2-42D3D-CGL, SL2-42D3D-CGL-C, SL2-42D3D-CGL-J, SL2-42D3D-CGL-M, SL2-65D3D-CGL, SL2-65D3D-CGL-C, SL2-65D3D-CGL-J, SL2-65D3D-CGL-M, SL3-42D3D-CGL, SL3-42D3D-CGL-C, SL3-42D3D-CGL-J, SL3-42D3D-CGL-M, SL3-65D3D-CGL, SL3-65D3D-CGL-C, SL3-65D3D-CGL-J and SL3-65D3D-CGL-M

The product and any acceptable variation thereto is specified in the Annex to this certificate and the documents therein referred to.

DEKRA hereby declares that the above-mentioned product has been certified on the basis of:
- a type test according to the standard EN 60598-2-22:2014, EN 60598-2-22:2014/AC:2015, EN 60598-2-22:2014/AC:2016-05, EN 60598-1:2015, EN 60598-1:2015/AC:2016 and EN 60598-1:2015/AC:2015
- an inspection of the production location according to CENELEC Operational Document CIG 021
- a certification agreement with the number 3504272

DEKRA hereby grants the right to use the ENEC certification mark.

Compliance with the requirements of this Standard carries a presumption of conformity with the essential safety requirements of the Low voltage directive (LVD) 2014/35/EU.

The ENEC certification mark may be applied to the product as specified in this certificate for the duration of the ENEC certification agreement and under the conditions of the ENEC certification agreement.

This certificate is issued on 18 October 2018 and expires upon withdrawal of one of the above mentioned standards.

Certificate number: 81-106089

DEKRA Certification B.V.

drs. G.J. Zoetbrood
Managing Director

Rosa Zhou
Certification Manager

© Integral publication of this certificate is allowed

ACCREDITED BY THE
DUTCH ACCREDITATION
COUNCIL

PRODUCTS
RvA C 001

DEKRA Certification B.V. Meander 1051, 6825 MJ Arnhem P.O. Box 5185, 6802 ED Arnhem, The Netherlands
T +31 88 96 83000 F +31 88 96 83100 www.dekra-certification.com Company registration 09085396

SPECIFICATION OF THE CERTIFIED PRODUCT

Product data

Product	:	Luminaire for emergency lighting with LED light source
Trade name(s)	:	EATON, EATON CROMPTON, EATON JSB or EATON MENVIER
Type(s)/model(s)	:	SL2-42D3D-CGL, SL2-42D3D-CGL-C, SL2-42D3D-CGL-J, SL2-42D3D-CGL-M, SL2-65D3D-CGL, SL2-65D3D-CGL-C, SL2-65D3D-CGL-J, SL2-65D3D-CGL-M, SL3-42D3D-CGL, SL3-42D3D-CGL-C, SL3-42D3D-CGL-J, SL3-42D3D-CGL-M, SL3-65D3D-CGL, SL3-65D3D-CGL-C, SL3-65D3D-CGL-J and SL3-65D3D-CGL-M
Supply voltage	:	220 - 230 V
Rated frequency	:	50/60 Hz
Rated duration of emergency operation	:	180 minutes
Battery	:	NiCd 3,6 V 1,5 Ah
Ambient temperature	:	5 - 45 °C
Type	:	Maintained / Non-maintained
Additional information	:	Luminaire with automatic test system
Type of installation	:	Ceiling / Wall / Recessed ceiling / Wall

Product data – type SL2-42D3D-CGL, SL2-42D3D-CGL-C, SL2-42D3D-CGL-J, SL2-42D3D-CGL-M, SL3-42D3D-CGL, SL3-42D3D-CGL-C, SL3-42D3D-CGL-J and SL3-42D3D-CGL-M

Degree of protection	:	IP42
Degrees of protection against external mechanical impacts	:	IK04

Product data – type SL2-65D3D-CGL, SL2-65D3D-CGL-C, SL2-65D3D-CGL-J, SL2-65D3D-CGL-M, SL3-65D3D-CGL, SL3-65D3D-CGL-C, SL3-65D3D-CGL-J and SL3-65D3D-CGL-M

Degree of protection	:	IP65
Degrees of protection against external mechanical impacts	:	IK07

TESTS

Test requirements

EN 60598-2-22:2014
EN 60598-2-22:2014/AC:2015
EN 60598-2-22:2014/AC:2016-05
EN 60598-1:2015
EN 60598-1:2015/AC:2016
EN 60598-1:2015/AC:2015

Test result

The test results are laid down in DEKRA test file 350607600.

Additional information

DEKRA test report No. 3506076.50 are laid down in DEKRA test file 350607600.
It contains both test results and critical component list.

This certificate replaces certificate No. 81-101384 which we herewith declare invalid.

Conclusion
The examination proved that all requirements were met.

Factory location
SC Cooper Industries Romania SRL
Zona Industriala Vest
Str. III, Nr. 12
310510 Arad, Romania

Safelite & Starled accessories	
SL2CD	Cone diffuser 20 m
SL3CD	Cone diffuser 30 m
SL2WB	Wall base 20 m
SL2RB	Recesed base 20 m
SL3RB	Recessed base 30 m
SL2PG	Metallic grid 20 m
O_EL_GRID	Metallic grid 30 m

**** Safelite, pictograms Qty : (*) = (1, 2, 3 or 4)**	
Adhesive	**Non-Adhesive**
SL2 (*)A = Qty of Adhesive 20 m (Cover / Cone)	SL2 (*)I = Qty of internal 20 m (Cover / Cone)
SL3 (*)A = Qty of Adhesive 30 m (Cover only)	SL3 (*)I = Qty of internal 30 m (Cover / Cone)
SL2MA = Modular Adhesive 20 m (Cover / Cone)	SL2MI = Modular internal 20 m (Cover / Cone)
SL3MA = Modular Adhesive 30 m (Cover only)	SL3MI = Modular internal 30 m (Cover / Cone)