

Schneider Electric Industries



Date: Thursday, September 28, 2023

Object: Schneider Electric RoHS declaration (RoHS: Restriction of Hazardous Substances)

Dear Customer,

Effective July 1st, 2006, the European Directive 2002/95/EC - "Restriction of Hazardous Substances" (RoHS), its recast 2011/65/EU of June 8th, 2011, the Delegated Directive (EU) 2015/863 of March 31st 2015, restricts the use in Europe in certain electrical and/or electronic equipments of lead, mercury, cadmium, hexavalent chromium, polybrominated biphenyls (PBB), polybrominated diphenyl ethers (PBDE) flame retardant, and from July 22nd 2019, Bis(2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).

Schneider Electric decided to make RoHS compliance of its products one of its priorities, even if they do not fall in RoHS scope, and most of Schneider Electric products are RoHS compliant. This stance is fully in line with Schneider Electric environmental policy and EN IEC 63000:2018 standard.

The information below provides the current product status according to regulation in force at the date of publication of this present document. Any future changes, either in product design or in the Directive may change the status reported here. In case the product is inside the legal scope of RoHS, please note that this document is not the CE declaration. To access to the CE declaration, please refer to the [Schneider Electric download center](#). In the context of the sustainable development policy of our Company we continuously work towards products and services which reduce the impact on environment or human health when used for their intended purpose and in conditions stated in the documentation provided by Schneider Electric.

In the following declaration, a "Pro-active compliance" wording means that the product is not an EEE or not in the legal scope of the regulation, but is in line with the substances restrictions and corresponding exemptions.

Shall you need any further information or have specific questions (eg. related to phased out products), our [Customer Care Centers](#) will support you. Please Note: You can find more information about Schneider Electric environmental commitment on [Green Premium webpage](#)

Best Regards,

**Vanessa MILER-FELS**  
VP Environment

A handwritten signature in black ink, appearing to read "VMFels".

Global Safety, Environment & Real Estate Senior Vice President  
Schneider Electric Industries SAS

Schneider Electric Industries SAS  
Postal address / Adresse postale :  
Le Hive  
35 rue Joseph Monier - CS 30323  
F-92506 Rueil Malmaison Cedex  
Phone: +33 (0)4 76 57 60 60  
<http://www.schneider-electric.com>

Legal information / Mentions légales :  
Société par actions simplifiée au capital de 896,313,776 euros  
954 503 439 rcs Nanterre - code APE : 2712Z  
Siret : 954 503 439 01719  
n°ident. TVA : FR 04 954 503 439  
Siège Social ! 35, rue Joseph Monier  
F - 92500 Rueil-Malmaison



Unless otherwise stated in the table, the data shown in this spreadsheet are related to the following production Date Code: 39/2023 (Week / Year)

The data shown in this spreadsheet are related to the following version of the RoHS directive: 1.0

| Commercial ref.    | Range                                                            | Compliance status                                                                                              |
|--------------------|------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|
| Brand              | Product description                                              |                                                                                                                |
| KAD1S              | Harmony K1, K2                                                   | RoHS (10 substances) : Pro-active compliance without the use of exemption (product out of EU RoHS legal scope) |
| Schneider Electric | operating head 60 x 60 mm black color key<br>blank for engraving |                                                                                                                |